

BIBI 870-BL

CRAWLER SELF-LEVELLING SCISSOR LIFT



ALMACRAWLER 

BIBI 870-BL

MOVE LEVEL WORK

The innovative self-propelled tracked scissor lift with a patented self-levelling technology, the BL Line overcomes standard limits of traditional equipment.

With working heights from 8m to 10m, load capacity of 250kg to 300kg and the bi-levelling technology for up to 20° inclination, the BL Line was designed for safety and productivity on the jobsite!

Innovativa piattaforma semovente cingolata con tecnologia autolivellante brevettata, la BL Line supera i limiti convenzionali delle piattaforme tradizionali.

Con altezze di lavoro da 8 a 10m, capacità di carico da 250 a 300 kg e tecnologia di bi-livellamento fino a 20° di inclinazione, la BL Line è stata progettata per garantire sicurezza e produttività in cantiere!



8m
working height
altezza lavoro

6m
travel height
altezza di traslazione

10m

working height
altezza lavoro

6.5m

travel height
altezza di traslazione

BIBI
870-BL

**DYNAMIC
LEVELLING**




**PROACTIVE
LEVELLING**



PATENTED TECHNOLOGY

BIBI 870-BL



Technical data

870-BL

Version BL

Basket capacity	250 kg (2 op.)
Basket size	1.50 x 1.20 m
Max working height	7.9 m
Max height basket floor	5.9 m
Moving height	6.0 m
Accelerator	Automatic
Undercarriage	Bi-Levelling
Basket levelling	Automatic
Longitudinal levelling Front	+/- 16°
Longitudinal levelling Rear	+/- 20°
Lateral levelling	+/- 15°
Electric pump (option)	220V-2,2kW
Direction-Control System	Yes
Easy-Drive System	Yes
Max speed	max 2.20 km/h
Ground emergency	Yes
Control of inclination	Automatic
Gradeability	25°
Side slope	21°
Length	1.94 m
Width	1.30 ÷ 1.50 m
Min height with narrow tracks (folded railings)	2.28 (1,98) m
Min height with wide tracks (folded railings)	1.98 (1,68) m
Compliance	EN 280, ANSI, CSA, AS/NZS

Gasoline Honda iGX390 Diesel Hatz 1B40	Gasoline Honda iGX390 Diesel Hatz 1B40	Gasoline Honda iGX390 Diesel Hatz 1B40
2070 kg / 2090 kg	2500 kg / 2530 kg	2860 kg / 2890 kg